JUMER TREWORKS 1.46 WO336

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form) Form Aprroved OMB No. 1218-0072

IDENTITY: Consumer Fireworks, 1.4G

Section I

6235

U.S.G.P.O.: 1986-491-529/45775

Manufacturer's Name and Address American Eagle Superstone Aba Big fiscuorks 3366 Renny Dr		Telephone Number for Information: Date Prepared: 03/12/2009					
					Lansing, m1 48906		
				Section II - Hazardous	Ingredients/Identity Inform	ation	
Hazardous Components (Spe	ecific Chemical Identity: Common	Name(s))					
OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)				
Contains pyrotechnic compos	sition - a solid mixture of oxidizer a	and fuel that will burn if ignited. The	ese items are				
classified as 1.4G explosive t	by DOT. No chemical composition	is exposed during normal handling	g and storage.				
Section III - Physical/Cl	hemical Characteristics						
Boiling Point	n/a	Specific Gravity (H2O = 1)	n/a				
Vapor Pressure (mm Hg)	n/a	Melting Point	n/a				
Vapor Density (AIR = 1)	n/a	Evaporation Rate	n/a				
Solubility in Water - Slight		Appearance and Odor - All pyrotechnic composition is					
		contained in a cardboard casing.					
Section IV - Fire and Ex	cplosion Hazard Data						
Flash Point - n/a	Flammable Limits - n/a	LEL - n/a	UEL - n/a				
Extinguishing Media - Flood	with water if a small amount of fire	works is involved.					
Special Fire Fighting Procedu	ures - Do not use suffocation meth	ods, devices contain their own oxy	ygen.				
f a large amount of fireworks	are involved, allow them to burn	and prevent spread of fire.					
Unusual Fire and Explosion I	Hazards - Fireworks will furn rapid	ly in the event of fire.					
Section V - Reactivity [Data						
Stability- Unstable	Stable X	Conditions to Avoid - Open flat	mes, smoking.				
Incompatibility (Materials to A	Avoid) - Exposure to water may ca	use items to deteriorate.					
Hazardous Decomposition or	Byproducts - Smoke, nitrogen ox	ides, and sulfur oxides may be pro	oduced in a fire.				
Hazardous Polymerization-	May Occur V	Vill Not Occur- X	Conditions to Avoid- n/a				
Section VI - Health Haz	ard Data						
Route(s) of Entry:	Inhalation?	Skin?	Ingestion?				
	Chronic) - Exposure to finished iter	ns does not pose any health hazar	rd.				
Carcinogenicity: No	NTP? No	IARC Monographs? No	OSHA Regulated? No				
Signs and Symptoms of Exsposure: n/a		Emergency and First Aid Procedures: n/a					
Medical Conditions Generally	y Aggravated by Exposure: n/a						
	ns for Safe Handling and U	lse					
		smoking or open flames in vicinity	y of spilled material.				
		Sweep up any exposed chemical c	A				
natural fiber brush.							
Waste Disposal Method in ac	ccordance with local, state, and fed	deral regulations.					
		flames, smoking, and high tempera	atures (above 120 F).				
Keep shipping cartons cool a							
Other Precautions: None							
Section VIII - Control M	leasures						
	ty Type) - None required when har	ndling finished items					
Ventilation	Local Exhaust: n/a	Special: n/a	Mechanical (General): n/a				
Other: n/a	Eye Protection: n/a	Opedial. 11/4	Modification (Contral). The				
Other Protective Clothing or		Protective Gloves: none requir	red				

UN0336 1.4G CONSUMER FIREWORKS

Date Prepared: April 1, 1999

Hazardous Ingredients/Identity Information

Hazardous Components: Contains pyrotechnic composition - a solid mixture of oxidizer and fuel that will burn if ignited. These items are classified as UN0336 1.4G Consumer Fireworks by the U.S. Department of Transportation. No chemical composition is exposed during normal handling and storage.

Physical/Chemical Characteristics

Solubility in Water: Slight

Appearance and Odor: All pyrotechnic composition is contained in a cardboard casing.

Fire and Explosion Hazard Data

Extinguishing Media: Flood with water if a small amount of fireworks is involved.

Special Fire Fighting Procedures: Do not use suffocation methods - devices contain their own oxygen. If a large amount of fireworks are involved, allow them to burn and prevent spread of fire.

Unusual Fire and Explosion Hazards: Fireworks will burn rapidly in the event of fire.

Reactivity Data

Stability: Stable

Conditions to Avoid: Open flames, smoking.

Incompatibility (Materials to Avoid): Exposure to water may cause items to deteriorate. Hazardous Decomposition or Byproducts: Smoke, nitrogen oxides, and sulfur oxides may

be produced in a fire.

Hazardous Polymerization: Will not occur.

Health Hazard Data

Health Hazards: Exposure to finished items does not pose any health hazard.

Precautions for Safe Handling and Use

Steps to be Taken in Case Material is Released or Spilled: No smoking or open flames in vicinity of spilled material. Carefully pick up and place spilled items in cardboard cartons. Sweep up any exposed chemical composition with a natural-fiber brush.

Waste Disposal Method: Dispose by burning in compliance with state and local regulations.

Precautions to be taken in Handling and Storing: Avoid open flames, smoking, and high temperatures (above 120 degrees F.). Keep shipping cartons cool and dry.

Control Measures

Respiratory Protection: None required when handling finished items.

Protective Gloves: None required.

Work/Hyglenic Practices: No smoking in vicinity of fireworks.

EMERGENCY RESPONSE PHONE #



EMERGENCY RESPONSE INFORMATION

FIREWORKS, 1.4G, UN0336

(Formerly referred to as Class C Explosives, Common Fireworks)

No chemical composition is released or exposed during normal handling, storage and transportation. In the event of a vehicle fire or intense that reaches the cargo area, the fireworks are likely to ignite. They will burn, spreading burning particles over a limited area. A mass explosion is not expected. Smoke and potentially irritating gases will be produced in such a fire. If the fireworks are spilled as the result of an accident but do not ignite, they can be picked up and repackaged with caution. The area should be kept clear of non-essential people while this is being done.

EMERGENCY ACTION

In case of fire, stop traffic, isolate the immediate area, and deny entry. Keep non-essential people away.

Fire in cargo area can be fought with water spray if necessary, although disposal and site clean up will be simplified if material is allowed to burn. Try to prevent other types of fire from reaching the cargo area.

Self-contained breathing apparatus (SCBA) and structural firefighter's protective clothing will provide some limited protection. Firefighters should retreat if fire approaches cargo area, and use unmanned hose holder to direct water spray on fire.

For additional information, call the <u>shipper</u> using the emergency telephone number listed on the shipping papers.

FIRE

<u>Truck fire</u> (other than cargo area): Flood with water. Tire fires may re-start. If possible, unhook and separate tractor from trailer. Remove vehicle that is not involved in fire from fire area if you can do so without risk. If cargo area is exposed to heat and flames, direct water spray on outside of container to cool it down. Continue spray until well after fire is out.

Cargo fire Do not move cargo or vehicle if cargo has been exposed to heat.

Withdraw from area if and when fire reaches cargo and let fire burn, if situation allows. If fire must be fought, flood with water spray. Use firefighting team to prevent spread of fire to adjacent structures and materials.

Promptly isolate the scene by removing all persons from the vicinity of the incident. First, move people out of line-of-sight of the scene and away from windows. Obtain more information from appropriate authorities listed on the shipping papers.

SPILL OF CARGO

Shut off ignition sources. There should be no flares, smoking, tools capable of producing sparks, or flames in the vicinity of the spilled material. Cautiously pick up the spilled devices and place them in cardboard cartons.

FIRST AID

Call emergency medical care. Use first aid treatment according to the nature of the injury.